## **EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurais	Time Stamp
L1	3220	(709/203).CCLS.	USPAT	OR	OFF	2006/04/06 17:32
L2	748	(709/213).CCLS.	USPAT	OR	OFF	2006/04/06 17:32
L3	247	(709/214).CCLS.	USPAT	OR	OFF	2006/04/06 17:32
L4	143	(711/6).CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L5	403	(711/161).CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L6	821	(711/162).CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L7	526	(711/165).CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L8	1266	(711/170).CCLS.	USPAT	OR .	OFF	2006/04/06 17:33
L9	426	(711/200):CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L10	1088	(711/202).CCLS.	USPAT	OR	OFF	2006/04/06 17:33
L11	569	(711/203).CCLS.	USPAT	OR	OFF	2006/04/06 17:41
· L12	107	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth)	USPAT	OR	OFF	2006/04/06 17:58
L13	22	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 12	USPAT	OR	OFF	2006/04/06 17:53
L14	6283	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same ((port\$1 or channel or connect\$4) with bandwidth)	USPAT	OR	OFF	2006/04/06 17:48
L15	142	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 14	USPAT	OR	OFF	2006/04/06 17:48
L16	1670	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth)	USPAT	OR	OFF	2006/04/06 17:48
L17	28	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 16	USPAT	OR	OFF	2006/04/06 17:49
L18	12372	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1)	USPAT .	OR	OFF	2006/04/06 17:49
L19	8106	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with (cache\$1)	USPAT	OR	OFF	2006/04/06 17:49
L20	945	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 19	USPAT	OR	OFF	2006/04/06 17:49
L21	4944	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near3 (cache\$1)	USPAT	OR	OFF	2006/04/06 17:49

## **EAST Search History**

L22	587	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 21	USPAT	OR	OFF	2006/04/06 17:50
L23	22	15 and 22	USPAT	OR	OFF	2006/04/06 17:50
L24	271	(setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:51
1.25	94	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with (cache\$1)) and ((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/04/06 17:52
L26	2	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11) and 25	USPAT	OR	OFF .	2006/04/06 17:53
L27	5	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same (cache\$1) same ((port\$1 or channel or connect\$4) with bandwidth)).clm.	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:01
L28	1260	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) same ((port\$1 or channel or connect\$4) with bandwidth)).clm.	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:01
L29	426	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) with ((port\$1 or channel or connect\$4) near2 bandwidth)). clm.	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:01
L30	303	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near5 ((port\$1 or channel or connect\$4) near2 bandwidth)).clm.	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:01
L31	1686	((setup or (set\$4 adj1 up) or configur\$3 or configuration or allocat\$3) near2 (cache\$1)).clm.	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:02
L32	3	(29 or 30) and 31	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:03

## **EAST Search History**

L33	. 11	(("20050114593") or ("5051887") or ("5784703") or ("6289423") or ("6775739") or ("20020138705") or ("20030221063") or	US-PGPUB; USPAT	OR	OFF	2006/04/06 18:05
		("20040024977") or ("20040123029") or ("20040193797") or ("20050021908")).PN.				1 ¥ 1